



Meet the Wyse Intel-based 3000 series thin client from Dell.

More organizations than ever before are now moving to desktop virtualization to improve security, ease ongoing desktop management and maintenance, and lower ongoing costs. To help achieve these benefits, Dell offers the Wyse Intel-based 3000 series thin client.

Big Performance

While small in size, this Windows Embedded Standard 7 (WES7) thin client packs plenty of punch. Powered by a dual core Intel Celeron processor, it's more than capable of driving a wide range of applications, including HD multimedia and rich graphics, to just about all of your task workers and knowledge workers. In fact, it offers over four times the processing power and twice the graphics rendering capability of its Wyse predecessor thin client.

Highly Configurable

What truly sets this thin client apart from others is how well-connected it is. With a choice of five back panel networking and peripheral interface choices, you can support a broad mix of network connections and device attachments. It's the thin client that can be configured for your entire organization.

Compact efficiency

Extremely compact and energy efficient (runs on less than 6 watts), the Wyse Intelbased 3000 series thin client offers flexible placement and can also be mounted behind a monitor to save even more space.

Broad Application Support

This new Intel-based x86 embedded thin client runs WES7 locally to support all of your Windows apps via virtual desktop connection, locally on the device, or via a VPN. So you can support your entire existing app mix while you move your people to virtual desktops.

Well Behaved and Well Managed

The Wyse Intel-based 3000 series thin client can be managed with Wyse Device Manager software or your existing Microsoft System Center Configuration Manager software. The choice is yours. Either way, you can manage your thin client desktops across your building or around the world.

Outstanding reliability

With no moving parts and built to last, the Wyse Intel-based 3000 series thin client will offer many years of high-performance service, which keeps your people and your IT and finance teams happy.



Wyse Intel-based 3000 series thin client

Specifications

Processors	Intel Celeron N2807 1.6 GHz dual core processor
Graphics	Embedded
Memory	Standard: 16GB Flash, 4GB RAM DDR3-1600 MHz
Display	VESA monitor support with Display Data Control (DDC) for automatic setting of resolution and refresh rate Single and dual display: 1920 x 1200 at 32bpp
Networking/Comm	10/100/1000 Base-T Gigabit Ethernet Optional single and dual band 802.11 a/b/g/n/ac integrated wireless with external dual antenna Optional SFP module support for Fiber NIC connectivity (mutually exclusive with RJ45 connector)
Security compliance	Security protocols supported for both wireless, and 802.1x network based authentication: EAP-TLS; EAP-LEAP; EAP-PEAP, EAP-MSCHAPv2, EAP-GTC; WEP; WPA Personal; WPA2 Personal; WPA Enterprise; WPA2 Enterprise
I/O peripheral support	Default configuration: 1 x DVI-I + 1 x DVI-D One SuperSpeed USB 3.0 ports on the front (backwards-compatible with USB 2.0) Three external USB 2.0 ports (1 front, 2 back) Optional serial port
	Four interface options available: 1 x DVI-I + Serial + RJ45 + WiFi 1 x DVI-I + Serial + RJ45 2 x DVI + SFP 2 x DVI + RJ45 + WiFi
Audio	Composite audio jack: 1/8-inch mini, 16-bit stereo / Internal mono speaker
In the box	Wyse 3000 series Intel-based dual core thin client Dell USB keyboard with Windows Keys (104 keys) included in the U.S. and sold separately outside the U.S. (availability varies by region) USB optical mouse Quick Start Guide Vertical feet
Factory options	Single and dual band 802.11 a/b/g/n/ac integrated wireless with external dual antenna SFP module support for Fiber NIC network (mutually exclusive with RJ45 connector One serial port (mutually exclusive with one DVI-I port)
Mountings	Vertical feet, standard Optional VESA mounting bracket
Device security	Built-in Kensington security slot (cable sold separately)
Dimensions (H x W x D)	Without stand: 187mm x 29mm x 117mm (7.37 in x 1.15 in x 4.61 in) With stand: 197.5mm x 69mm x 117mm (7.78 in x 1.15 in x 4.61 in)
Shipping weight	2.34 kg, 5.2 lbs.
Power	Worldwide auto-sensing 100-240 VAC, 50/60 Hz 65W, 19V DC Energy Star V.5.2 Phase V external and EuP compliant power adapter
Power consumption	7 watts (average)
Temperature range	Operating, vertical position: 32° to 104° F (10° to 40° C) Storage: 14° to 140° F (-10° to 60° C)
Humidity	20% to 80% condensing / 10% to 95% non-condensing
Certifications	Ergonomics: German EKI-ITB 2000, ISO 9241-3/-8 Safety: cULus 60950, TÜV-GS, EN 60950 RF Interference: FCC Class B, CE, VCCI, C-Tick Environmental: WEEE, RoHS Compliant
Warranty	Three-year Limited Hardware Warranty Optional 4 or 5 year extension Optional 3 or 5 year Advance Exchange Service



Dell service & support. We're here to help.

Choose Dell's premium support service, Dell ProSupport, for 24/7 direct telephone access to advanced-level technicians based in your region. Whether you have one office or hundreds around the world, protect your investments with this simple yet flexible approach.

Dell software & peripherals. Simply do more.

Dell software and peripherals can help you do more with your Wyse thin client. From award-winning Dell monitors and stands, to the right keyboard and mouse whether you're in the office or on the go, to software solutions from hand-picked partners, get all the best—all in one place, matched to your unique needs. Backed with world-class services and support Dell software and peripherals are foolproof investments that ensure you get the most out of your virtual desktop endpoints.

5. Intel Inside and the Intel Inside logo are trademarks of Intel Corporation in the U.S. and/or other countries.

^{1.} Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.

Offering available in select countries.

^{3.} Weights based on preliminary Dell lab testing. Weights vary depending on configuration and manufacturing variability.

^{4.} Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.